




گروه صنعتی آریاسهند تبریز  
Arla Sahand Tabriz Industrial Group

## اطلاعات فنی

انواع محصولات  
لوله، قوطی، پروفیل و بیضی  
سبک روغنی



Producer of Crc Light Tubes,  
Profiles and Oval Profiles







## Manufactured Products Metal Pipe



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	Ø 8*40	0.459225	6	510	234
2	Ø 8*50	0.576975	6	510	294
3	Ø 8*60	0.694725	6	510	354
4	Ø 8*70	0.8007	6	510	408
5	Ø 8*80	0.91845	6	510	468
6	Ø 8*90	1.0362	6	510	528
7	Ø 8*1.0	1.15395	6	510	589
8	Ø 10*40	0.569439	6	510	290
9	Ø 10*50	0.715449	6	510	365
10	Ø 10*60	0.861459	6	510	439
11	Ø 10*70	0.992868	6	510	506
12	Ø 10*80	1.138878	6	510	581
13	Ø 10*90	1.284888	6	510	655
14	Ø 10*1.0	1.430898	6	510	730
15	Ø 10*1.25	1.73799	6	510	886
16	Ø 10*1.50	1.680057	6	510	857
17	Ø 12*40	0.679653	6	331	225
18	Ø 12*50	0.853923	6	331	283
19	Ø 12*60	1.028193	6	331	340
20	Ø 12*70	1.185036	6	331	392
21	Ø 12*80	1.359306	6	331	450
22	Ø 12*90	1.533576	6	331	508
23	Ø 12*1.0	1.707846	6	331	565
24	Ø 12*1.25	2.085588	6	331	690
25	Ø 12*1.50	2.509488	6	331	831
26	Ø 13*40	0.73476	6	331	243
27	Ø 13*50	0.92316	6	331	306
28	Ø 13*60	1.11156	6	331	368
29	Ø 13*70	1.28112	6	331	424
30	Ø 13*80	1.46952	6	331	486
31	Ø 13*90	1.65792	6	331	549
32	Ø 13*1.0	1.84632	6	331	611
33	Ø 13*1.25	2.259387	6	331	748
34	Ø 13*1.50	2.718612	6	331	900
35	Ø 14*40	0.789867	6	331	261
36	Ø 14*50	0.992397	6	331	328
37	Ø 14*60	1.194927	6	331	396
38	Ø 14*70	1.377204	6	331	456
39	Ø 14*80	1.579734	6	331	523
40	Ø 14*90	1.782264	6	331	590
41	Ø 14*1.0	1.984794	6	331	657
42	Ø 14*1.25	2.433186	6	331	805

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
43	Ø 14*1.5	2.927736	6	331	969
44	Ø 16*40	0.91845	6	331	304
45	Ø 16*50	1.15395	6	331	382
46	Ø 16*60	1.38945	6	331	460
47	Ø 16*70	1.6014	6	331	530
48	Ø 16*80	1.8369	6	331	608
49	Ø 16*90	2.0724	6	331	686
50	Ø 16*1.0	2.3079	6	331	764
51	Ø 16*1.25	2.838717	6	331	940
52	Ø 16*1.5	3.415692	6	331	1,131
53	Ø 16*2.0	4.5216	6	331	1,497
54	Ø 18*40	1.002288	6	331	332
55	Ø 18*50	1.266048	6	331	419
56	Ø 18*60	1.529808	6	331	506
57	Ø 18*70	1.793568	6	331	594
58	Ø 18*80	2.057328	6	331	681
59	Ø 18*90	2.321088	6	331	768
60	Ø 18*1.0	2.584848	6	331	856
61	Ø 18*1.25	3.186315	6	331	1,055
62	Ø 18*1.50	3.83394	6	331	1,269
63	Ø 18*2.0	5.035932	6	331	1,667
64	Ø 19*40	1.07388	6	331	355
65	Ø 19*50	1.35648	6	331	449
66	Ø 19*60	1.63908	6	331	543
67	Ø 19*70	1.92168	6	331	636
68	Ø 19*80	2.20428	6	331	730
69	Ø 19*90	2.48688	6	331	823
70	Ø 19*1.0	2.76948	6	331	917
71	Ø 19*1.25	3.533913	6	331	1,170
72	Ø 19*1.50	4.252188	6	331	1,407
73	Ø 19*2.0	5.59548	6	331	1,852
74	Ø 19.5*40	1.109676	6	271	301
75	Ø 19.5*50	1.401696	6	271	380
76	Ø 19.5*60	1.693716	6	271	459
77	Ø 19.5*70	1.985736	6	271	538
78	Ø 19.5*80	2.277756	6	271	617
79	Ø 19.5*90	2.569776	6	271	696
80	Ø 19.5*1.0	2.861796	6	271	776
81	Ø 19.5*1.25	3.533913	6	271	958
82	Ø 19.5*1.5	4.252188	6	271	1,152
83	Ø 19.5*2.0	5.59548	6	271	1,516
84	Ø 20*40	1.127574	6	271	306



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
85	∅ 20*50	1.424304	6	271	386
86	∅ 20*60	1.721034	6	271	466
87	∅ 20*70	2.017764	6	271	547
88	∅ 20*80	2.314494	6	271	627
89	∅ 20*90	2.611224	6	271	708
90	∅ 20*1.0	2.907954	6	271	788
91	∅ 20*1.25	3.591846	6	271	973
92	∅ 20*1.50	4.321896	6	271	1,171
93	∅ 20*2.0	5.688738	6	271	1,542
94	∅ 22*40	1.234962	6	217	268
95	∅ 22*50	1.559952	6	217	339
96	∅ 22*60	1.884942	6	217	409
97	∅ 22*70	2.209932	6	217	480
98	∅ 22*80	2.534922	6	217	550
99	∅ 22*90	2.859912	6	217	621
100	∅ 22*1.0	3.184902	6	217	691
101	∅ 22*1.25	3.939444	6	217	855
102	∅ 22*1.50	4.740144	6	217	1,029
103	∅ 22*2.0	6.248286	6	217	1,356
104	∅ 25*50	1.786032	6	169	302
105	∅ 25*60	2.195331	6	169	371
106	∅ 25*70	2.530212	6	169	428
107	∅ 25*80	2.902302	6	169	490
108	∅ 25*90	3.274392	6	169	553
109	∅ 25*1.0	3.646482	6	169	616
110	∅ 25*1.25	4.518774	6	169	764
111	∅ 25*1.5	5.437224	6	169	919
112	∅ 25*2.0	7.180866	6	169	1,214
113	∅ 28*50	1.989504	6	127	253
114	∅ 28*60	2.403984	6	127	305
115	∅ 28*70	2.818464	6	127	358
116	∅ 28*80	3.232944	6	127	411
117	∅ 28*90	3.647424	6	127	463
118	∅ 28*1.0	4.061904	6	127	516
119	∅ 28*1.25	5.040171	6	127	640
120	∅ 28*1.5	6.064596	6	127	770
121	∅ 28*2.0	8.1012	6	127	1,029
122	∅ 30*50	2.125152	6	127	270
123	∅ 30*60	2.567892	6	127	326
124	∅ 30*70	3.010632	6	127	382
125	∅ 30*80	3.453372	6	127	439
126	∅ 30*90	3.896112	6	127	495

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
127	∅ 30*1.0	4.338852	6	127	551
128	∅ 30*1.25	5.387769	6	127	684
129	∅ 30*1.5	6.482844	6	127	823
130	∅ 30*2.0	8.6664	6	127	1,101
131	∅ 32*60	2.7789	6	127	353
132	∅ 32*70	3.2499	6	127	413
133	∅ 32*80	3.7209	6	127	473
134	∅ 32*90	4.1919	6	127	532
135	∅ 32*1.0	4.6629	6	127	592
136	∅ 32*1.25	5.781996	6	127	734
137	∅ 32*1.5	6.947721	6	127	882
138	∅ 32*2.0	6.877542	6	127	873
139	∅ 35*60	3.05679	6	127	388
140	∅ 35*70	3.57489	6	127	454
141	∅ 35*80	4.09299	6	127	520
142	∅ 35*90	4.61109	6	127	586
143	∅ 35*1.0	5.12919	6	127	651
144	∅ 35*1.25	6.366036	6	127	808
145	∅ 35*1.50	7.649511	6	127	971
146	∅ 35*2.0	10.1736	6	127	1,292
147	∅ 38*60	3.306891	6	91	301
148	∅ 38*70	3.867381	6	91	352
149	∅ 38*80	4.427871	6	91	403
150	∅ 38*90	4.988361	6	91	454
151	∅ 38*1.0	5.548851	6	91	505
152	∅ 38*1.25	6.891672	6	91	627
153	∅ 38*1.50	8.281122	6	91	754
154	∅ 38*2.0	11.0214	6	91	1,003
155	∅ 40*60	3.473625	6	91	316
156	∅ 40*70	4.062375	6	91	370
157	∅ 40*80	4.651125	6	91	423
158	∅ 40*90	5.239875	6	91	477
159	∅ 40*1.0	5.828625	6	91	530
160	∅ 40*1.25	7.242096	6	91	659
161	∅ 40*1.50	8.702196	6	91	792
162	∅ 40*2.0	11.5866	6	91	1,054
163	∅ 42*60	3.640359	6	91	331
164	∅ 42*70	4.257369	6	91	387
165	∅ 42*80	4.874379	6	91	444
166	∅ 42*90	5.491389	6	91	500
167	∅ 42*1.0	6.108399	6	91	556
168	∅ 42*1.25	7.59252	6	91	691



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
169	∅ 42*1.50	9.12327	6	91	830
170	∅ 42*2.0	12.1518	6	91	1,106
171	∅ 45*60	3.918249	6	91	357
172	∅ 45*70	4.582359	6	91	417
173	∅ 45*80	5.246469	6	91	477
174	∅ 45*90	5.910579	6	91	538
175	∅ 45*1.0	6.574689	6	91	598
176	∅ 45*1.25	8.17656	6	91	744
177	∅ 45*1.50	9.82506	6	91	894
178	∅ 45*2.0	14.0358	6	91	1,277
179	∅ 48*60	4.196139	6	61	256
180	∅ 48*70	4.907349	6	61	299
181	∅ 48*80	5.618559	6	61	343
182	∅ 48*90	6.329769	6	61	386
183	∅ 48*1.0	7.040979	6	61	429
184	∅ 48*1.25	8.7606	6	61	534
185	∅ 48*1.50	10.52685	6	61	642
186	∅ 48*1.80	12.63222	6	61	771
187	∅ 48*2.0	14.0358	6	61	856
188	∅ 50*60	4.390662	6	61	268
189	∅ 50*70	5.134842	6	61	313
190	∅ 50*80	5.879022	6	61	359
191	∅ 50*90	6.623202	6	61	404
192	∅ 50*1.0	7.367382	6	61	449
193	∅ 50*1.25	9.169428	6	61	559
194	∅ 50*1.5	11.018103	6	61	672
195	∅ 50*1.8	13.22568	6	61	807
196	∅ 50*2.0	14.6952	6	61	896
197	∅ 51*60	4.44624	6	61	271
198	∅ 51*70	5.19984	6	61	317
199	∅ 51*80	5.95344	6	61	363
200	∅ 51*90	6.70704	6	61	409
201	∅ 51*1.0	7.46064	6	61	455
202	∅ 51*1.25	9.286236	6	61	566
203	∅ 51*1.50	11.158461	6	61	681
204	∅ 51*1.80	13.39524	6	61	817
205	∅ 51*2.0	14.7894	6	61	902
206	∅ 60*60	5.224332	6	61	319
207	∅ 60*70	6.109812	6	61	373
208	∅ 60*80	6.995292	6	61	427
209	∅ 60*90	7.880772	6	61	481
210	∅ 60*1.0	8.766252	6	61	535

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
211	∅ 60*1.25	10.921548	6	61	666
212	∅ 60*1.50	13.123473	6	61	801
213	∅ 60*1.80	15.76908	6	61	962
214	∅ 60*2.0	17.5212	6	61	1,069
215	∅ 76*0.7	7.84686	6	37	290
216	∅ 76*80	8.855742	6	37	328
217	∅ 76*90	9.976722	6	37	369
218	∅ 76*1.0	11.097702	6	37	411
219	∅ 76*1.25	13.841748	6	37	512
220	∅ 76*1.50	16.632423	6	37	615
221	∅ 76*1.80	20.00808	6	37	740
222	∅ 76*2.0	22.2312	6	37	823

## Manufactured Products Metal Boxes



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	□ 10*10*40	0.73476	6	400	294
2	□ 10*10*50	0.92316	6	400	369
3	□ 10*10*60	1.11156	6	400	445
4	□ 10*10*70	1.28112	6	400	512
5	□ 10*10*80	1.46952	6	400	588
6	□ 10*10*90	1.65792	6	400	663
7	□ 10*10*1.0	1.84632	6	400	739
8	□ 10*10*1.25	2.241018	6	400	896
9	□ 10*10*1.50	2.700243	6	400	1,080
10	□ 10*20*50	1.333872	6	240	320
11	□ 10*20*60	1.611762	6	240	387
12	□ 10*20*70	1.889652	6	240	454
13	□ 10*20*80	2.167542	6	240	520
14	□ 10*20*90	2.445432	6	240	587
15	□ 10*20*1.0	2.723322	6	240	654
16	□ 10*20*1.25	3.332796	6	240	800
17	□ 10*20*1.50	4.015746	6	240	964
18	□ 15*15*50	1.333872	6	256	341
19	□ 15*15*60	1.611762	6	256	413
20	□ 15*15*70	1.889652	6	256	484
21	□ 15*15*80	2.167542	6	256	555
22	□ 15*15*90	2.445432	6	256	626
23	□ 15*15*1.0	2.723322	6	256	697
24	□ 15*15*1.25	3.332796	6	256	853
25	□ 15*15*1.50	4.015746	6	256	1,028
26	□ 10*25*50	1.559952	6	250	390
27	□ 10*25*60	1.884942	6	250	471
28	□ 10*25*70	2.209932	6	250	552



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
29	□ 10*25*80	2.534922	6	250	634
30	□ 10*25*90	2.859912	6	250	715
31	□ 10*25*1.0	3.184902	6	250	796
32	□ 10*25*1.25	3.907416	6	250	977
33	□ 10*25*1.50	4.708116	6	250	1,177
34	□ 10*30*60	2.158122	6	192	414
35	□ 10*30*70	2.530212	6	192	486
36	□ 10*30*80	2.902302	6	192	557
37	□ 10*30*90	3.274392	6	192	629
38	□ 10*30*1.0	3.646482	6	192	700
39	□ 10*30*1.25	4.482036	6	192	861
40	□ 10*30*1.50	5.400486	6	192	1,037
41	□ 20*20*60	2.158122	6	256	552
42	□ 20*20*70	2.530212	6	256	648
43	□ 20*20*80	2.902302	6	256	743
44	□ 20*20*90	3.274392	6	256	838
45	□ 20*20*1.0	3.646482	6	256	933
46	□ 20*20*1.25	4.482036	6	256	1,147
47	□ 20*20*1.50	5.400486	6	256	1,383
48	□ 20*20*2.0	7.274124	6	256	1,862
49	□ 25*25*50	2.2608	6	196	443
50	□ 25*25*60	2.7318	6	196	535
51	□ 25*25*70	3.2028	6	196	628
52	□ 25*25*80	3.6738	6	196	720
53	□ 25*25*90	4.1448	6	196	812
54	□ 25*25*1.0	4.6158	6	196	905
55	□ 25*25*1.25	5.631276	6	196	1,104
56	□ 25*25*1.50	6.785226	6	196	1,330
57	□ 25*25*2.0	9.2316	6	196	1,809
58	□ 20*30*50	2.2608	6	216	488
59	□ 20*30*60	2.7318	6	216	590
60	□ 20*30*70	3.2028	6	216	692
61	□ 20*30*80	3.6738	6	216	794
62	□ 20*30*90	4.1448	6	216	895
63	□ 20*30*1.0	4.6158	6	216	997
64	□ 20*30*1.25	5.631276	6	216	1,216
65	□ 20*30*1.50	6.785226	6	216	1,466
66	□ 20*30*2.0	9.2316	6	216	1,994
67	□ 30*30*60	3.250842	6	144	468
68	□ 30*30*70	3.811332	6	144	549
69	□ 30*30*80	4.371822	6	144	630
70	□ 30*30*90	4.932312	6	144	710
71	□ 30*30*1.0	5.492802	6	144	791
72	□ 30*30*1.25	6.780516	6	144	976
73	□ 30*30*1.50	8.169966	6	144	1,176
74	□ 30*30*2.0	11.1156	6	144	1,601
75	□ 20*40*60	3.250842	6	128	416
76	□ 20*40*70	3.811332	6	128	488

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
77	□ 20*40*80	4.371822	6	128	560
78	□ 20*40*90	4.932312	6	128	631
79	□ 20*40*1.0	5.492802	6	128	703
80	□ 20*40*1.25	6.780516	6	128	868
81	□ 20*40*1.50	8.169966	6	128	1,046
82	□ 20*40*2.0	11.1156	6	128	1,423
83	□ 40*40*60	4.316244	6	81	350
84	□ 40*40*70	5.060424	6	81	410
85	□ 40*40*80	5.804604	6	81	470
86	□ 40*40*90	6.548784	6	81	530
87	□ 40*40*1.0	7.292964	6	81	591
88	□ 40*40*1.25	9.021534	6	81	731
89	□ 40*40*1.50	10.870209	6	81	880
90	□ 40*40*2.0	14.7894	6	81	1,198
91	□ 20*60*60	4.316244	6	108	466
92	□ 20*60*70	5.060424	6	108	547
93	□ 20*60*80	5.804604	6	108	627
94	□ 20*60*90	6.548784	6	108	707
95	□ 20*60*1.0	7.292964	6	108	788
96	□ 20*60*1.25	9.021534	6	108	974
97	□ 20*60*1.50	10.870209	6	108	1,174
98	□ 20*60*2.0	14.7894	6	108	1,597
99	□ 25*50*60	4.070382	6	98	399
100	□ 25*50*70	4.772172	6	98	468
101	□ 25*50*80	5.473962	6	98	536
102	□ 25*50*90	6.175752	6	98	605
103	□ 25*50*1.0	6.877542	6	98	674
104	□ 25*50*1.25	8.504376	6	98	833
105	□ 25*50*1.50	10.247076	6	98	1,004
106	□ 25*50*2.0	13.9416	6	98	1,366
107	□ 30*50*60	4.316244	6	84	363
108	□ 30*50*70	5.060424	6	84	425
109	□ 30*50*80	5.804604	6	84	488
110	□ 30*50*90	6.548784	6	84	550
111	□ 30*50*1.0	7.292964	6	84	613
112	□ 30*50*1.25	9.021534	6	84	758
113	□ 30*50*1.50	10.870209	6	84	913
114	□ 30*50*2.0	14.7894	6	84	1,242
115	□ 30*60*70	5.733012	6	72	413
116	□ 30*60*80	6.576102	6	72	473
117	□ 30*60*90	7.419192	6	72	534
118	□ 30*60*1.0	8.262282	6	72	595
119	□ 30*60*1.25	10.228236	6	72	736
120	□ 30*60*1.5	12.324186	6	72	887
121	□ 30*60*2.0	16.7676	6	72	1,207
122	□ 40*60*70	6.373572	6	70	446
123	□ 40*60*80	7.310862	6	70	512
124	□ 40*60*90	8.248152	6	70	577



Manufactured Products Metal Ovals



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
125	□ 40*60*1.0	9.185442	6	70	643
126	□ 40*60*1.25	11.377476	6	70	796
127	□ 40*60*1.50	13.708926	6	70	960
128	□ 40*60*2.0	18.6516	6	70	1,306
129	□ 50*50*70	6.373572	6	64	408
130	□ 50*50*80	7.310862	6	64	468
131	□ 50*50*90	8.248152	6	64	528
132	□ 50*50*1.0	9.185442	6	64	588
133	□ 50*50*1.25	11.377476	6	64	728
134	□ 50*50*1.50	13.708926	6	64	877
135	□ 50*50*2.0	18.6516	6	64	1,194
136	□ 60*60*70	7.654692	6	49	375
137	□ 60*60*80	8.780382	6	49	430
138	□ 60*60*90	9.906072	6	49	485
139	□ 60*60*1.0	11.031762	6	49	541
140	□ 60*60*1.25	13.675956	6	49	670
141	□ 60*60*1.50	16.478406	6	49	807
142	□ 60*60*2.0	22.4196	6	49	1,099
143	□ 40*80*70	7.654692	6	50	383
144	□ 40*80*80	8.780382	6	50	439
145	□ 40*80*90	9.906072	6	50	495
146	□ 40*80*1.0	11.031762	6	50	552
147	□ 40*80*1.25	13.675956	6	50	684
148	40*80*1.5	16.478406	6	50	824
149	40*80*2.0	22.4196	6	50	1,121

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	31*16*60	2.158122	6	170	367
2	31*16*70	2.530212	6	170	430
3	31*16*80	2.902302	6	170	493
4	31*16*90	3.274392	6	170	557
5	31*16*1.0	3.646482	6	170	620
6	31*16*1.25	4.482036	6	170	762
7	31*16*1.50	5.400486	6	170	918
8	31*16*2.0	7.3476	6	170	1,249
9	38*22*60	2.7318	6	128	350
10	38*22*70	3.2028	6	128	410
11	38*22*80	3.6738	6	128	470
12	38*22*90	4.1448	6	128	531
13	38*22*1.0	4.6158	6	128	591
14	38*22*1.25	5.631276	6	128	721
15	38*22*1.50	6.785226	6	128	869
16	38*22*2.0	9.2316	6	128	1,182
17	50*20*60	3.27816	6	128	420
18	50*20*70	3.84336	6	128	492
19	50*20*80	4.40856	6	128	564
20	50*20*90	4.97376	6	128	637
21	50*20*1.0	5.53896	6	128	709
22	50*20*1.25	6.837978	6	128	875
23	50*20*1.50	8.239203	6	128	1,055
24	50*20*2.0	11.1156	6	128	1,423
25	40*20*60	2.7318	6	128	350
26	40*20*70	3.2028	6	128	410
27	40*20*80	3.6738	6	128	470
28	40*20*90	4.1448	6	128	531
29	40*20*1.0	4.6158	6	128	591
30	40*20*1.25	5.631276	6	128	721
31	40*20*1.50	6.785226	6	128	869
32	40*20*2.0	9.2316	6	128	1,182



## Manufactured Products Metal Profile



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعدادشاخه در بندیل	وزن بندیل (kg)
1	507*60 T	4.316244	6	98	423
2	507*70 T	5.060424	6	98	496
3	507*80 T	5.804604	6	98	569
4	507*90 T	6.548784	6	98	642
5	507*1.0 T	7.292964	6	98	715
6	507*1.25 T	9.021534	6	98	884
7	507*1.50 T	10.870209	6	98	1,065
8	507*2.0 T	14.7894	6	98	1,449
9	508*60 Z	4.316244	6	105	453
10	508*70 Z	5.060424	6	105	531
11	508*80 Z	5.804604	6	105	609
12	508*90 Z	6.548784	6	105	688
13	508*1.0 Z	7.292964	6	105	766
14	508*1.25 Z	9.021534	6	105	947
15	508*1.50 Z	10.870209	6	105	1,141
16	508*2.0 Z	14.7894	6	105	1,553
17	509*60 L	4.316244	6	100	432
18	509*70 L	5.060424	6	100	506
19	509*80 L	5.804604	6	100	580
20	509*90 L	6.548784	6	100	655
21	509*1.0 L	7.292964	6	100	729
22	509*1.25 L	9.021534	6	100	902
23	509*1.50 L	10.870209	6	100	1,087
24	509*2.0 L	14.7894	6	100	1,479
25	602*0.6 URDON	5.081148	6	98	498
26	602*0.7 URDON	5.957208	6	98	584
27	602*0.8 URDON	6.833268	6	98	670
28	602*0.9 URDON	7.709328	6	98	756
29	602*1.0 URDON	8.585388	6	98	841
30	602*1.25 URDON	10.63047	6	98	1,042
31	602*1.5 URDON	12.808845	6	98	1,255
32	601*0.6 URDON	5.081148	6	108	549
33	601*0.7 URDON	5.957208	6	108	643
34	601*0.8 URDON	6.833268	6	108	738
35	601*0.9 URDON	7.709328	6	108	833
36	601*1.0 URDON	8.585388	6	108	927
37	601*1.25 URDON	10.63047	6	108	1,148
38	601*1.5 URDON	12.808845	6	108	1,383
39	501*0.6 URDON	4.316244	6	99	427
40	501*0.7 URDON	5.060424	6	99	501
41	501*0.8 URDON	5.804604	6	99	575
42	501*0.9 URDON	6.548784	6	99	648

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعدادشاخه در بندیل	وزن بندیل (kg)
43	501*1.0 URDON	7.292964	6	99	722
44	501*1.25 URDON	9.021534	6	99	893
45	501*1.5 URDON	10.870209	6	99	1,076





+98 41 33 10 8000  
[www.ariasahandtabriz.com](http://www.ariasahandtabriz.com)